

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"6829071" and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:59
L3	8	information adj display and (diffuser adj position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:47
L4	1	"20050007645" and light and dim\$6 and sensor\$1 and ambient and glare and contrast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:42
S1	2	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:57
S2	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:49
S3	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and back adj light\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:50
S6	0	rearview adj mirror adj assembly with (liquid adj crystal adj display or LCD) and two adj characters adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:58
S7	2	(liquid adj crystal adj display or LCD) and two adj characters adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:10
S8	0	(liquid adj crystal adj display or LCD) and two adj characters adj display and two adj backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:59

S9	0	(liquid adj crystal adj display or LCD) and two adj characters adj display and individual\$6 and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:00
S10	0	(liquid adj crystal adj display or LCD) and two adj characters adj display and (character and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:00
S11	1	(liquid adj crystal adj display or LCD) and two adj characters adj display and (character and light\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:01
S12	0	(liquid adj crystal adj display or LCD) and two adj characters adj backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:10
S13	9	(liquid adj crystal adj display or LCD) and characters adj backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:13
S14	3	(liquid adj crystal adj display or LCD) and characters adj backlight\$6 and individually	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:15
S15	356	(liquid adj crystal adj display or LCD) and characters and backlight\$6 and individually	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:15
S16	0	(liquid adj crystal adj display or LCD) and (characters adj individually and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:16
S17	356	(liquid adj crystal adj display or LCD) and (characters and individually and display\$6 and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:16
S18	104	(liquid adj crystal adj display or LCD) and (alphanumeric and characters and individually and display\$6 and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:17

S19	17	(liquid adj crystal adj display or LCD) and (alphanumeric and characters and individually and display\$6 and backlight\$6) and (rear and view and mirror)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:31
S20	12	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and display and character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:47
S21	12	(liquid adj crystal adj display or LCD) and (alphanumeric and characters and individually and display\$6 and backlight\$6) and (rear and view and mirror) and ambient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:48
S22	21	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:24
S23	2	"6,356,376".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:32
S24	2	"6,583,579".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:34
S25	2	"6,255,781".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:34
S26	0	"6,170,956".pn. and ambient and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 13:57
S27	0	"6,356,376".pn. and ambient and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 13:57
S28	0	"6,170,956".pn. and ambient and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:21

S29	1	"6,356,376".pn. and ambient and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:16
S30	1	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:20
S31	0	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6 and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:50
S32	0	"6,170,956".pn. and diffuser and light adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:22
S33	1	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:22
S34	0	"6,255,781".pn. and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:22
S35	0	"6,300,879".pn. and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:59
S36	0	"6,583,579".pn. and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:45
S37	9	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:23
S38	2	"6463503".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:28



S39	2	"6170956".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:28
S40	1	"6170956".pn. and diffus\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:36
S41	1	"6170956".pn. and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S42	0	"6,583,579".pn. and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:47
S43	1	"6,583,579".pn. and dim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S44	0	"6,356,376".pn. and ambient and light adj sensor\$1 and transmissiv\$6 and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:51
S45	1	"6,356,376".pn. and dim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 14:51
S46	2	"6,300,879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S47	1	"6,356,376".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:21
S48	0	"6,300,879".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22

S49	0	"6170956".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:23
S50	0	"6,583,579".pn. and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:24
S51	1	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and negative adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25
S52	7	rearview adj mirror adj assembly and (liquid adj crystal adj display or LCD) and back adj light\$6 and (negative and mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:25
S53	2	"6,166,848".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:35
S54	2	"20050007645"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 16:44
S55	2	"20050007645" and viewer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 11:00
S56	1	"20050007645" and backlight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 11:00
S57	1	"20050007645" and (backlight\$6 and driv\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:30
S58	0	"20050007645" and difus\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:30

S59	1	"20050007645" and diffus\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:31
S60	1	"20050007645" and diffus\$6 and angle and view\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:14
S61	1	"20050007645" and diffus\$6 and angle and view\$6 and light and rays	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:16
S62	1	"20050007645" and diffus\$6 and angle and view\$6 and light and rays and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:40
S63	1	"20050007645" and light and dim\$6 and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:42
S64	7251	display and (defective and drive and circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:34
S65	1061	display and (defective and drive adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:34
S66	9	display and (defective adj drive adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44
S67	1	display and (defective adj drive adj circuit) and bypass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:34
S68	4	display and (defective adj drive adj circuit) and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44

S69	59142	information adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S70	403	information adj display and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S71	371	information adj display and diffuser and position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S72	369	information adj display and diffuser and position\$6 and between	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:00
S73	170	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:02
S74	62	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and (diffuser and redirect\$6 and light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:03
S75	57	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and (diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:04
S76	0	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and ((diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6viewer and palnar and surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:04



S77	42	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and ((diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6 and viewer and planar and surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:05
S78	7	information adj display and (diffuser and position\$6 and between and (LCD or liquid adj crystal adj display) and backlight\$6) and ((diffuser and redirect\$6 and light) and function and position\$6 and (LCD or liquid adj crystal adj display) and relat\$6 and viewer and planar adj surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:46